

Eastpointe

Incident Type Report (Summary)

Alarm Date Between {11/01/2009} And {11/30/2009}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
<b>1 Fire</b>				
111 Building fire	3	1.84%	\$6,000	100.00%
113 Cooking fire, confined to container	1	0.61%	\$0	0.00%
131 Passenger vehicle fire	1	0.61%	\$0	0.00%
140 Natural vegetation fire, Other	1	0.61%	\$0	0.00%
150 Outside rubbish fire, Other	2	1.22%	\$0	0.00%
154 Dumpster or other outside trash receptacle	1	0.61%	\$0	0.00%
	<u>9</u>	<u>5.52%</u>	<u>\$6,000</u>	<u>100.00%</u>
<b>2 Overpressure Rupture, Explosion, Overheat(no fire)</b>				
221 Overpressure rupture of air or gas	1	0.61%	\$0	0.00%
251 Excessive heat, scorch burns with no	1	0.61%	\$0	0.00%
	<u>2</u>	<u>1.22%</u>	<u>\$0</u>	<u>0.00%</u>
<b>3 Rescue &amp; Emergency Medical Service Incident</b>				
300 Rescue, EMS incident, other	4	2.45%	\$0	0.00%
311 Medical assist, assist EMS crew	115	70.55%	\$0	0.00%
322 Motor vehicle accident with injuries	1	0.61%	\$0	0.00%
350 Extrication, rescue, Other	1	0.61%	\$0	0.00%
	<u>121</u>	<u>74.23%</u>	<u>\$0</u>	<u>0.00%</u>
<b>4 Hazardous Condition (No Fire)</b>				
400 Hazardous condition, Other	1	0.61%	\$0	0.00%
424 Carbon monoxide incident	2	1.22%	\$0	0.00%
441 Heat from short circuit (wiring),	2	1.22%	\$0	0.00%
444 Power line down	1	0.61%	\$0	0.00%
	<u>6</u>	<u>3.68%</u>	<u>\$0</u>	<u>0.00%</u>
<b>5 Service Call</b>				
500 Service Call, other	1	0.61%	\$0	0.00%
531 Smoke or odor removal	3	1.84%	\$0	0.00%
561 Unauthorized burning	2	1.22%	\$0	0.00%
	<u>6</u>	<u>3.68%</u>	<u>\$0</u>	<u>0.00%</u>
<b>6 Good Intent Call</b>				
600 Good intent call, Other	2	1.22%	\$0	0.00%
611 Dispatched & cancelled en route	1	0.61%	\$0	0.00%
631 Authorized controlled burning	2	1.22%	\$0	0.00%

Eastpointe

Incident Type Report (Summary)

Alarm Date Between {11/01/2009} And {11/30/2009}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	5	3.06%	\$0	0.00%
<b>7 False Alarm &amp; False Call</b>				
700 False alarm or false call, Other	6	3.68%	\$0	0.00%
713 Telephone, malicious false alarm	1	0.61%	\$0	0.00%
735 Alarm system sounded due to malfunction	1	0.61%	\$0	0.00%
740 Unintentional transmission of alarm, Other	1	0.61%	\$0	0.00%
743 Smoke detector activation, no fire -	1	0.61%	\$0	0.00%
745 Alarm system activation, no fire -	2	1.22%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	1	0.61%	\$0	0.00%
	<u>13</u>	<u>7.97%</u>	<u>\$0</u>	<u>0.00%</u>
<b>9 Special Incident Type</b>				
911 Citizen complaint	1	0.61%	\$0	0.00%
	<u>1</u>	<u>0.61%</u>	<u>\$0</u>	<u>0.00%</u>

Total Incident Count: 163

Total Est Loss:



\$6,000

## Eastpointe Fire &amp; Rescue

## Complaint Reported by Dispatch

Begin Date Range: 11/1/2009 12:00:

End Date Range: 12/1/2009 12:00:

Complaint Reported 	Percentage of Total 	Total Complaints
Not Provided	17.03 %	39
Other	16.16 %	37
Breathing Problem	8.30 %	19
Fall Victim	8.30 %	19
Traffic Accident	6.55 %	15
Diabetic Problem	5.68 %	13
Sick Person	5.68 %	13
Chest Pain	4.37 %	10
Unconscious/Fainting	3.93 %	9
Abdominal Pain	3.49 %	8
Unknown Problem Man Down	3.06 %	7
Assault	1.75 %	4
Choking	1.75 %	4
Convulsions/Seizure	1.75 %	4
Hemorrhage/Laceration	1.75 %	4
Altered LOC	1.31 %	3
Cardiac Arrest	1.31 %	3
Pregnancy/Childbirth	1.31 %	3
Allergies	0.87 %	2
Back Pain	0.87 %	2
Headache	0.87 %	2
Heart Problems	0.87 %	2
Psychiatric Problem	0.87 %	2
Stroke/CVA	0.87 %	2
Traumatic Injury	0.87 %	2
Life Line Alert	0.44 %	1
<b>Total:</b>	<b>100 %</b>	<b>229</b>

Report Generated by eMedicReports On: 12/3/2009 10:01:56 AM

Page



**[ AccuMedWeb Reports Main ]**

StartTime 11/1/2009



EndTime 12/1/2009



[View Report](#)

of 1 100%

Find | Next

Select a format

Export

